CLAIMS

Claim 1 (currently amended): A process Method-for the preparation of a mixture of peptides, having an arginine and lysine content of at least 20 w/w%, based on the protein content, from at least one protein source, comprising the steps of:

- a) cleaving the proteins of at least one protein source into peptides;
- b) allowing the peptides to bind to cation exchange resin;
- c) washing the cation exchange resin with an alkaline wash solution having a normality of 0.05-2.0;
- d) eluting bound peptides from the resin with an aqueous elution solution having an ionic strength of at most 200 mM and a pH between 5.0-9.0.

Claim 2 (currently amended): The process of Method according to claim 1, comprising between steps b) and c) a prewash step, wherein said cation exchange resin is washed with a prewash solution having an ionic strength of at most 200 mM and a pH between 5.0-9.0.

Claim 3 (currently amended):. The process of Method according to claims claim 1 or 2, wherein the mixture of peptides has an arginine and lysine content of at least 30 w/w%, based on protein content.

Claim 4 (currently amended): The process of claim 1 Method according to any of the preceding claims, wherein step a) comprises enzymatic hydrolysis.

Claim 5 (currently amended)

The process of claim 1 Method according to any of the preceding claims, wherein step b) is preceded by a filtration step.

Claim 6 (currently amended): The process Method—according to claim 5, wherein the filtration step is carried out with a membrane having a cut-off of 10 kDa.

Claim 7 (currently amended):. The process of claim 1 Method according to any of the preceding claims, wherein the at least one protein source comprises at least two different proteins.

Claim 8 (currently amended):. The process of claim 1 Method according to any of the preceding claims, wherein the at least one protein source is of vegetable origin.

Claim 9 (currently amended): The process of claim 1 Method according to any of the preceding claims, wherein the at least one protein source is chosen from the group, consisting of soy, pea and cotton seed.

Claim 10 (currently amended): The process of claim 1 Method according to any of the preceding claims, wherein the at least one protein source comprises at least 10 w/w% arginine and lysine.

Claim 11 (currently amended):. A composition Preparation—comprising a mixture of arginine- and lysine-rich peptides, comprising at least 20 w/w% arginine and lysine.

Claim 12 (currently amended): The composition of claim 11 Preparation comprising a mixture of arginine—and lysine-rich peptides, comprising at least 10 w/w% arginine and at least 10 w/w% lysine.

Claim 13 (currently amended): The composition of claim 11 Preparation comprising a mixture of arginine and lysine rich peptides, comprising at least 30 w/w% arginine and lysine.

Claim 14 (currently amended): The composition of claim 13 Preparation comprising a mixture of arginine and lysine rich peptides, comprising at least 15 w/w% arginine and at least 15 w/w% lysine.

Claim 15 (currently amended): Use of a preparation according to any of claims 11-14 as active compound in a A medicament, supplement, beverage or food product comprising the composition of claim 11 as an active compound.

Claim 16 (currently amended):. A method for elevation of nitric oxide blood levels comprising administering to a subject in need thereof the composition of claim 11. Use according to claim 15 for elevation of nitric oxide blood levels.

US National Phase for PCT/NL03/00526

Applicants: **DEKKER**, **Anita**, et al. Express Mail No: EV 641287769 US

Docket No. 72998-014000/US

Claim 17 (currently amended): Use according to claim 16 for increasing aerobic

capacity and/or decreasing acidification in muscle tissue.

A method for increasing aerobic capacity and/or decreasing acidification in muscle tissue

comprising administering to a subject in need thereof the composition of claim 11.

Claim 18 (currently amended): Use according to claims 15 or 16A method for

prophylaxis and/or treatment of disorders associated with reduced and/or inadequate vasodilation

or increased blood platelet aggregation comprising administering to a subject in need thereof the

composition of claim 11.

Claim 19 (currently amended): The method of Use according to claim 18, wherein

the disorder is chosen from the group[[,]] consisting of arteriosclerosis, restenosis, thrombosis,

hypertension, impotence and diabetes.

Claim 20 (currently amended): A method Use according to claim 15-for stimulating

growth hormone levels, stimulating immune response or for improving regulation of blood

glucose levels comprising administering to a subject in need thereof the composition of claim 11.

LA-FS1\382602v01\72998.010000

6